



The Wildcat has been unleashed...



Visit our website: www.gokarts-atvs.com





simple. classic. elegant

Visit our website: www.gokarts-atvs.com

Sulaimania Showroom : 01-4629212

King Abdullah Road Showroom : 01-4804599

Khorais Road Showroom : 01-2544471

Malaz Showroom : 01-2920034

Service Center : 01-2445966, 01-4714749

Mobile: +966-508934240

Fax: 01-2415878



WILDCAT

**EVERYTHING YOU SEE HAS BEEN TESTED, BATTERED
AND LIVED TO BRAG ABOUT IT.**

Wildcat™ owners. Gather round. All eyes are on you. Time to show those big-buck custom builds what you're made of. Dress code? Rugged. Start with a complete set of aluminum skid plates. Front and rear a-arm guards. Step rails. (This ain't the kiddie park.) Add a hard top. Flip-up windshield. Trunknet and tons of lights. Now let's talk bumpers. Slap a grin on your grill. Choose aluminum or steel. While you're at it, cover your rear, too. Remember, everything you see here comes with our genuine Arctic Cat stamp of excellence. You're off to a great start. Now go make papa proud.

INTRODUCING THE
WILDCAT






**BUMMER FOR
THOSE WHO DECIDED
IT WAS TIME TO
GROW UP.**

Inspired by the exoskeleton design of sandrails, the Wildcat® 1000i H.O. was engineered to dominate everything from hills to whoops and everything in between. All with the kind of precision and control never before seen in the sport ROV industry. This pure-sport hot rod brings plenty of muscle, agility, speed and intangibles to the table. The Wildcat simply has no equal—and it takes Side by Side performance to a whole new level.



THE BRAINPOWER BEHIND



5-LINK SUSPENSION

When you're flying over the hills, through the whoops and across the dunes, having the right suspension can make all the difference. And the Wildcat has no equal. It starts with an industry-leading 18 inches of rear suspension travel that's made possible by an all-new 5-link rear suspension. This engineering marvel minimizes camber and axle plunge to soak up even the harshest terrain. And not to be outdone, the front suspension on the Wildcat sports a best-in-class 17 inches of travel, with geometry that's optimized for stability and control. Throw in adjustable Walker Evans race-inspired shocks, and you've got yourself the perfect ride.



1000

Go ahead. Hit the pedal, set the path. The Wildcat Side by Side suspension is unbridled down a 4-stroke engine with ceramic exhaust. The engine is tur

RACE-INSPIRED COCKPIT

You may think that we spent all this time designing and building the ultimate sport ROV and left the creature comforts off the table. But you're way wrong. Take a seat in the Wildcat and before you hit the dunes, take a look around. You're sitting in high-back bucket seats that are comfortable for the body, giving you ultimate comfort and body stability. Next, check out other features like a 12V accessory outlet, 3-point seat belt, glovebox, digital/analog gauge. With a low seat design and all these awesome features, you'll wonder if you're in a sports car or the planet's coolest s

IND THE HORSEPOWER



EXOSKELETON CHASSIS


The unforgiving terrain of the Baja 1000 motivated the design of the Wildcat's chassis. Inspired by the exoskeleton of sandrails, the Wildcat's chassis is built from high-strength low-alloy steel, sporting a first-class full-perimeter design. Which sets a new standard in strength, rigidity and durability. A 40/60 front/rear weight distribution means the front end remains light and nimble when attacking tough terrain. The low center of gravity means the rider is less affected by movements and produces an overall more comfortable and confident ride.

DI H.O. ENGINE

op on. We dare you not to plant your lead foot square on ending the Wildcat racing over virtually anything in its Wildcat has the highest displacement of any pure-sport , which makes it an ideal match for the industry-leading and chassis combo. It all starts with 951cc of proven, amination courtesy of the SOHC 4-valve H2 V-Twin EFI gine. And thanks to heavy-breathing 50mm throttle bodies, aust pipe and an all-new air intake system, the Wildcat's ned up with even more torque and acceleration.



d be wrong.
ntoured to
ox and a
port ROV.



SIDE BY SIDE COMPARISON

WILDCAT

VS

RZR-XP



FEATURES

Yes	Doors	No
Yes	17in./43.2cm Front Suspension Travel	No
Yes	5-Link Rear Suspension Design	No
Yes	18in./45.7cm Rear Suspension Travel	No
Yes	Electric Power Steering	No
Yes	LED Headlights & Taillights	No
Yes	Automotive-Style Paint	No
65.8/167	Overall Height (in./cm)	73/185.4
26.5/67.3	Seat Height (in./cm)	31/78.7
951cc	Engine Size	875cc



WILDCAT SPECS:

ENGINE DISPLACEMENT	951cc	FRONT/REAR BRAKES	4-Wheel Hydraulic Disc
ENGINE TYPE	V-Twin, SOHC, 4-stroke, 4-valve	PARKING BRAKE	Park in Transmission
FUEL SYSTEM	Electronic Fuel Injection	TIRE FRONT	26x9R-14
COOLING SYSTEM	Liquid with Twin Fan	TIRE REAR	26x11R-14
TRANSMISSION/FINAL DRIVE	Duramatic CVT P/R/N/L/H; Shaft	WHEELS	Aluminum
DRIVE SYSTEM	2/4 WD + Electric Diff Lock	FUEL CAPACITY (GAL./LITERS)	8.8/33.3
OVERALL WIDTH (IN./CM)	64/162.6	BED BOX DIMENSIONS (IN./CM L x W x H)	35.8 x 21 x 8.4 90.9 x 53.3 x 21.3
OVERALL HEIGHT (IN./CM)	65.8/167	BOX CAPACITY (LBS./KG)	300/136.1
OVERALL LENGTH (IN./CM)	120/304.8	PAYLOAD CAPACITY (LBS./KG)	740/335.6
WHEELBASE (IN./CM)	90/228.6	LIGHTING FRONT	White LED, High/Low
DRY WEIGHT (LBS./KG)	1305/592	LIGHTING REAR	LED, Tail — Brake
SUSPENSION TRAVEL FRONT (IN./CM)	17/43.2	ADJUSTABLE STEERING	Tilt Steering Wheel
SUSPENSION TRAVEL REAR (IN./CM)	18/45.7	ELECTRONIC POWER STEERING	Yes
GROUND CLEARANCE (IN./CM)	13/33	INSTRUMENTATION	Digital Gauge, Analog Speedometer, Odometer, Tachometer, Trip Meter, Gear Indicator, Fuel Gauge, AWD Indicator, Hi-Temp/Low-Battery Lights, DC Outlet
SUSPENSION TYPE—FRONT	Double A-Arm (compression adjustment & reservoir)		
SUSPENSION TYPE—REAR	5-Link Trailing Arm (compression adjustment & reservoir)		

ROVs can be hazardous to operate. For your safety, all occupants must wear a seat belt, approved helmet, eye protection, and protective clothing; use handhold and stay inside vehicle. Never ride on paved surfaces or public roads. Never engage in stunt driving, riding and alcohol/drugs don't mix and could cause serious injury or even death. Avoid excessive speeds and be particularly careful on difficult terrain. We recommend all ROV operators have a valid driver's license. No operators under age 16. Never carry a passenger in the cargo box; the passenger must be able to place both feet on the floor while keeping their back against the back of the seat. Arctic Cat recommends that all riders read and understand their operator's manual before operation. Along with concerned conservationists everywhere, Arctic Cat urges you to "tread lightly" on public and private lands. Ride only on designated areas or trails. Preserve your future riding opportunities by showing respect for the environment, local laws, and the rights of others when riding. Do not shoot from or lean firearms or bows against the ROV. All specifications, competitive specifications, claims and information contained within are based on current knowledge and readily available printed material as of September 1, 2011. Arctic Cat® Share Our Passion™ and Wildcat® are trademarks or registered trademarks of Arctic Cat Inc. ©2011 Arctic Cat Sales Inc., Thief River Falls, MN 56701. Arctic Cat ROVs are world-class products from Arctic Cat Inc. Printed in the U.S.A.

Part #5224-055 US/CE

tread lightly!® CE
LEAVING A GOOD IMPRESSION™



SOFT CAB KIT (1436-729, PAGE 9), FULL WINDSHIELD (1436-734, PAGE 8)
FRONT FENDERS (1436-679, PAGE 15), 4-LED LIGHT KIT (1436-412, PAGE 13)



HARD TOP (1436-753, PAGE 6)
HALF WINDSHIELD (1436-740, PAGE 8)
TRUNKNET (1436-723, PAGE 11)

BOLT ON SOME BODY ARMOR AND GO DEFEND YOUR TURF.

ALUMINUM FRONT & REAR BUMPER

- Lightweight aluminum construction is corrosion resistant
- Bumper style integrated with Aluminum Step Rails (1436-798, page 20)

FRONT:

NEW 1436-684: '13 WILDCAT
1436-718: '12 WILDCAT

REAR:

NEW 1436-685: '13 WILDCAT
1436-719: '12 WILDCAT



STEEL FRONT BUMPER

- 1 1/4" steel pipe bumper protects the front of the machine and headlights
- Integrated mini skid plate
- Bumper style integrated with Steel Step Rails (1436-645, page 20)

NEW 1436-686: '13 WILDCAT
1436-716: '12 WILDCAT



4-LED LIGHT KIT (1436-412, PAGE 13)



ROOFS



HARD TOP

- Stylish hard top features a finished interior and is equipped for a radio and four 4" speakers (radio and speakers sold separately; see page 7)
- Features twin-tinted sunroofs
- Provides protection from the elements
- Accommodates Aluminum Light Bar (1436-724, page 13)

1436-753: '12-'13 WILDCAT

BIMINI TOP

- Blocks the glaring sun
- Easily tightens with strap adjustment
- New 9-oz. heavy series 70 Surlast™ fabric
- Access to the whip flag mount


1436-731: '12-'13 WILDCAT



LET THE SUN BEAT DOWN ON THIS.



FLIP-UP WINDSHIELD (1436-739, PAGE 8)
 STEEL STEP RAIL (1436-645, PAGE 20)
 STEEL FRONT BUMPER (1436-686, PAGE 5)



STEREO KIT

- Developed for installation in a Hard Top (1436-753)
- Includes Jensen® radio, four 4" JBL speakers, antenna and custom wiring

1436-636: UNIVERSAL

RADIO KIT

- US/Euro AM/FM tuner with RBDS
- SIRIUS® satellite radio-ready
- iPod®-ready
- Full 7-channel NOAA weather band tuner with "Weather Alert"
- Low battery alert
- 4-channel, 180-watt power amplifier (4 x 45w)

1436-634:

RADIO ANTENNA

- Rubber gasket allows for a watertight seal
- Angle adjusts up to 90°

1436-106: UNIVERSAL

4" JBL SPEAKERS (PAIR)

- 35-watt RMS handling power
- 105-watt maximum power

1436-666:



SUBWOOFER

- Big, booming bass from 12-volt, 200-watt Jensen sub
- Water-resistant housing (IPx5) withstands vibrations, humidity, salty air, temperature fluctuations, moisture and UV exposure
- Vertical and horizontal mounting provisions
- Easy access to gain control and frequency response
- 16" W x 8 1/2" L x 3 3/4" D
- Sold individually

1436-361: UNIVERSAL

iPOD/RADIO CABLE

- Play songs on your Jensen radio from your iPod with this custom 12' cable

1436-633: FITS RADIO KIT (1436-634)





WINDSHIELDS

FULL WINDSHIELD

- Scratch/abrasion-resistant polycarbonate
- 8-point mounting
- Works with Soft Cab, Hard or Bimini Top

1436-734: '12-'13 WILDCAT



HALF WINDSHIELD

- Aerodynamic styling diverts wind up and over driver and passenger
- Dust management system helps prevent dust from rolling in the cage
- Snap clamps offer quick installation or removal

1436-740: '12-'13 WILDCAT



FLIP-UP WINDSHIELD

- Upper windshield is composed of scratch/abrasion-resistant polycarbonate and is held open with two gas-assist shocks
- Flip-up windshield can be driven in three positions: closed, open a few inches or fully open

1436-739: '12-'13 WILDCAT




MANUAL WINDSHIELD WIPER

- 8"-12" adjustable arm length; 11" wiper blade length
- Fits polycarbonate windshields

NOTE: Polycarbonate windshields have a scratch-resistant coating. Caution should be taken when wiping mud or abrasive material off windshield as it will affect the coating over time.

1436-582: '12-'13 WILDCAT





SOFT CAB KIT

- Kit includes roof, back panel and doors
- Choose your windshield: Full (1436-734) or Flip-up (1436-739); sold separately

1436-729: '12-'13 WILDCAT



STEEL FRONT BUMPER (1436-686, PAGE 5), FRONT FENDERS (1436-679, PAGE 15)
STEEL STEP RAIL (1436-645, PAGE 20), 4-LED LIGHT KIT (1436-412, PAGE 13)

SOMETIMES THE BEAST NEEDS TO BE CAGED.

SOFT ROOF/BACK PANEL

- Lightweight aluminum roof frame is designed to be used with the doors to create an enclosed cab area; can also be a stand-alone
- Back panel rolls up when not in use
- New 9-oz. heavy series 70 Surlast fabric
- Access to the whip flag mount

1436-732: '12-'13 WILDCAT



SOFT REAR PANEL

- Soft rear panel works with a Bimini or Hard Top
- Maximum visibility from a see-thru design
- Significantly reduces dust swirl when used with a windshield

1436-771: '12-'13 WILDCAT





SOFT GOODS

OVERHEAD BAG

- Provides ample storage for your gear
- Includes map pocket

1436-735: '12-'13 WILDCAT



KICK PANEL BAGS

- Easy-access storage compartment is tucked out of the way under the door opening
- Rugged 1000-denier construction
- Sold in pairs

1436-736: '12-'13 WILDCAT



TRUNK BAG

- Zipperless bag
- Lightweight aluminum tube framework
- Top composed of heavy-duty 18-oz. PVC-coated polyester material

1436-737: '12-'13 WILDCAT

SHOULDER BAG

- Secure, convenient, easy-access storage between the seats
- Easy bolt-on design – no drilling necessary
- 1000-denier coated nylon fabric with vinyl accent

1436-770: '12-'13 WILDCAT



PADDED ARMREST

- Easy install – no drilling necessary
- Closed cell foam design for comfort
- Crack-resistant vinyl

1436-769: '12-'13 WILDCAT



SOFT GOODS



TRUNKNET

- Helps protect driver and passenger from cargo shifting in the rear box
- Open weave design provides rear visibility

1436-723: '12-'13 WILDCAT

THE STUFF YOU WANT WHEN WANT BECOMES NEED.

BOX NET

- Versatile 15" x 30" net with coated steel hooks
- Secures cargo or other items

1436-717: '12-'13 WILDCAT



TRAILERABLE COVER

- Heavy-duty 600-denier Surlast fade-resistant polyester
- Interior lining protects plastic
- Features ratchet and buckle tensioning system

1436-738: '12-'13 WILDCAT





LIGHTING



SQUEEZE A LITTLE MORE DAYLIGHT OUT OF YOUR DAY.



ARCTIC CAT 12-LED LIGHT

- Twelve 5-watt high-intensity LEDs for optimal nighttime visibility
- Cast aluminum housing with high-impact lens, fully sealed for longevity
- Features low-profile construction and black powder-coated finish
- Low power usage with 5 amps of current draw
- Use Fast Clamps (1436-619, page 14) to mount directly to ROPS
- Includes lateral and universal mounts

NOTE: '12 Wildcat requires Accessory Extension Harness (0486-467, page 13)

1436-615: '12-'13 WILDCAT



LIGHTING



ALUMINUM LIGHT BAR

- Lightweight cast and extruded aluminum construction
- Installs easily with or without a Hard Top
- Fits Arctic Cat 12-LED Light (sold separately) and lights up to 22" wide

1436-724: '12-'13 WILDCAT



- SOFT CAB KIT (1436-729, PAGE 9)
- FULL WINDSHIELD (1436-734, PAGE 8)
- FRONT FENDERS (1436-679, PAGE 15)
- STEEL FRONT BUMPER (1436-686, PAGE 5)
- FRONT A-ARM GUARDS (1436-714, PAGE 20)

4-LED LIGHT KIT

- Four high-intensity, 3-watt LED bulbs for exceptional illumination
- Fully sealed cast aluminum housing with high-impact lens
- Low-profile construction with black powder-coated finish
- Includes universal 7/8" rack mounts
- Use Fast Clamps (1436-619, page 14) to mount directly to ROPS

1436-412: '12-'13 WILDCAT



ACCESSORY ADAPTER

- Conveniently plugs into 12-volt accessory plug (Style 21)
- Powers multiple 12-volt accessories
- 15 amps max

1639-623: 2-OUTLET
1639-624: 3-OUTLET



ACCESSORY PLUG KIT

- Powers 12-volt DC accessories from a cigarette-lighter-style outlet
- 15-amp max

0436-435: UNIVERSAL



ELECTRICAL PLUG

- Links power to trailered accessories with a 12-volt DC connection
- 12-in. plug-in link; 15-amp max

0436-087: UNIVERSAL



ACCESSORY EXTENSION HARNESSES

- Used to extend any Style 21 accessory adapter

0486-467: 66" STYLE 21 EXTENSION

1686-457: 24" STYLE 21 EXTENSION






BODY & FRAME



GRAB HANDLES

- Convenient multiuse grab handles for ROPS
- Features nonslip grip connection
- Sold in pairs

1436-578: '12-'13 WILDCAT



FLASHLIGHT HOLDER

- Keeps flashlight secure and within reach
- Designed to attach to any location along ROPS

1436-580: '12-'13 WILDCAT



SWITCH

- On/off switch for additional accessories

1436-178



SWITCH MOUNT PANEL KIT

- Includes switch panel and two plugs for installing added accessories

1436-008: '12-'13 WILDCAT

WATER BOTTLE/ EXTINGUISHER HOLDER

- Neoprene holder holds your "Halon Style" extinguisher or water bottle in place with two Velcro® straps
- Straps are lined with a rubber grip that prevents sliding, regardless of the terrain you encounter
- Neoprene casing cinches shut to keep your contents contained
- Fits securely on ROPS

1436-579: '12-'13 WILDCAT



WINCH REMOTE/ CELL PHONE/GPS HOLDER

- 2-way radio holder also works great for cell phones, GPS systems, MP3 players and other personal electronic devices
- Fits and adjusts anywhere along ROPS
- Equipped with nonslip grip connection

1436-581: '12-'13 WILDCAT



FAST CLAMPS

- Embedded threads allow mounting of lights, GPS brackets, etc., to ROPS
- Quick-release capability
- Attaches to any 1 1/2" or 1 3/4" tube
- High-strength nylon construction
- Zinc-coated hardware for resistance to corrosion
- Sold individually

1436-619: '12-'13 WILDCAT






WHIP FLAG

- Pop-off design includes tether cord to secure base
- 8-ft. flexible shaft with flag alerts nearby riders
- Quick, single-bolt attachment

0436-014



FRONT FENDERS

- Unique suspension-mounted fender offers superior full coverage protection through entire length of travel
- Composed of premium TPO plastic that maintains flexibility in all weather conditions
- Paintable surface

1436-679: '12-'13 WILDCAT

FALL DELIVERY




PASSENGER POWERGRIP

- Soft handle grip
- Provides additional passenger comfort
- Installs easily

1436-768: '12 WILDCAT



THESE ARE THE LITTLE THINGS THAT MAKE THE EXPERIENCE BIG.



FUEL CAN HOLDER

- Steel construction for strength and durability
- Mounting location frees up rear storage area
- Fits fuel cans with base dimensions of 11 1/4" x 7 3/4"
- Fits Scepter brand 10 L/2.5-gal. fuel can (Scepter #07378)

1436-774: '12-'13 WILDCAT

LICENSE PLATE KIT

- Easy-attach plate kit with room for letters, numbers and state ID
- White letters and numbers included

0436-787: UNIVERSAL



TOW STRAP

- 10,000-lb. tensile strength for durability
- Heavy-duty 20-ft. tow strap with included storage bag
- Looped at ends, with easy-attach, rust-resistant, zinc-plated shackles
- Fits nicely in Kick Panel Bags (1436-736, page 10)

0436-448





HARD TOP (1436-753, PAGE 6)
ALUMINUM REAR BUMPER (1436-685, PAGE 5)
ALUMINUM LIGHT BAR (1436-724, PAGE 13)

BLACK MAGIC® WHEEL/TIRE KIT

- Includes Trailfinder tires mounted on Black Magic wheels
- Directionally mounted tires for front and rear
- Arctic center caps
- Lug nuts included

1436-681: FOUR WHEELS/TIRES KIT

TRAILFINDER TIRE

- 26" high
- Flatter tread provides more ground contact
- 6-ply construction provides improved handling
- Radial construction provides an exceptionally smooth ride

1436-750: 26x10xR14 - FRONT

1436-762: 26x12xR14 - REAR



BLACK MAGIC WHEELS

- 1436-479: 14x6.5 - FRONT
- 1436-480: 14x8 - REAR



ALUMINUM WHEELS

- Exclusive Arctic Cat offsets for custom fit and performance
- Corrosion-resistant, rugged, lightweight aluminum construction
- Polished with black inlays for understated shine and finish
- Lug nuts included

BLADZ

- A. 1436-385: 14x6.5 - FRONT
- A. 1436-386: 14x8 - REAR

STARZ

- B. 1436-689: 14x6.5 - FRONT
- B. 1436-690: 14x8 - REAR



DELUXE TIRE REPAIR KIT

- Everything you need for a fast repair, including:
- Three CO₂ quick-inflation cartridges and cartridge gun
- Air hose
- Cleaning tool
- Sealant cement
- Five heavy-duty plugs



1436-135

MORE BEAUTY FOR YOUR BEAST.

TIRE SEALANT

- Special formulation with special sealing fibers creates a permanent seal
- Includes valve core wrench and installation tube
- 32-oz. bottle

0436-913





WINCH & CARRIERS



ALUMINUM REAR BUMPER (1436-685, PAGE 5)
TRUNKNET (1436-723, PAGE 11)

4000-LB. WINCH KIT*

- Arctic Cat/WARN® designed and engineered
- 50' of lightweight, easy-to-handle synthetic rope
- Wireless control system with a 50-ft. range and mini-rocker control switch
- Sealed drivetrain to keep the elements out
- All-metal 3-stage planetary geartrain for smooth, reliable operation
- Efficient motor for longer pulls with less battery drain
- Includes all hardware, quick change plugs, wiring harness and roller fairlead

NOTE: '12 Wildcat requires Accessory Extension Harness (0486-467, page 13)

1436-755: '12-'13 WILDCAT



SHOWN IN
TRANSPORT POSITION



***NOTE: FOR A COMPLETE WILDCAT WINCH SYSTEM, A WINCH KIT, WINCH CARRIER, REAR WINCH RECEIVER AND WINCH TRANSPORT MOUNT WILL BE NEEDED.**



REAR WINCH RECEIVER*

- Steel 2" receivers work in conjunction with Winch Carrier (1436-795)
- 3/16" steel plate for durability and strength
- Built-in rear scrub plate
- Not for towing and will not work with any 2" Receiver Hitch

1436-741: '12-'13 WILDCAT



WINCH TRANSPORT MOUNT*

- Securely transports your Winch Carrier when not in use
- Mounts in rear cargo area

1436-794: '12-'13 WILDCAT



WINCH CARRIER*

- Strong 3/16" steel platform
- Fits Wildcat 2" winch receivers
- Use with 4000-lb. Winch Kit (1436-755)

1436-795: '12-'13 WILDCAT



WINCH ACCESSORIES KIT

- Doubles the power of your winch with the handy pulley block
- Two clevis shackles provide secure rigging
- Includes two sturdy 7000-lb. tow straps
- Packs conveniently into the rugged Cordura® nylon case

1436-600



YOU'LL NEVER FIND YOURSELF STUCK BETWEEN A ROCK AND A HARD PLACE.





UNDERBODY

ALUMINUM SKID PLATES

- Replace stock plastic skid plate with rust-free rugged brushed aluminum
- Offers maximum strength and durability
- Straightforward installation
- Openings for maintenance
- Features heavy-duty 3/16" rear scrub plate

1436-728: '12-'13 WILDCAT



FRONT & REAR A-ARM GUARDS

- Composed of rugged brushed aluminum for low weight
- Provides protection to front end components and rear suspension
- Quick and easy installation

'12-'13 WILDCAT

1436-714: FRONT

1436-715: REAR



ALUMINUM STEP RAIL

- Lightweight aluminum tubular frame
- Styling integrates with Aluminum Front and Rear Bumpers (page 5)
- Protects side of the vehicle
- Can be used as a side step

1436-798: '12-'13 WILDCAT

SHOWN WITH ALUMINUM SKID PLATE



STEEL STEP RAIL

- 1 1/4" steel pipe construction
- Styling integrates with Steel Front Bumper (page 5)
- Protects side of the vehicle
- Can be used as a side step

1436-645: '12-'13 Wildcat

Luxury Carts
Golf Carts
Personal Carriers
Special Carts
Nev



Sulaimania Showroom : 01-4629212
King Abdullah Road Showroom : 01-4804599
Khorais Road Showroom : 01-2544471
Malaz Showroom : 01-2920034
Service Center : 01-2445966, 01-4714749
Mobile: +966-508934240
Fax: 01-2415878



Visit our website: www.gokarts-atvs.com